

Rittal – The System.

Faster – better – everywhere.

► E-Box EB - 1549500

Date : Jul 06 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

E-Box EB - 1549500



Product Description	
Material	Housing and door: Carbon steel all-round foamed-in PU seal
Surface finish	Mounting plate: Zinc-plated Housing and door: Dipcoat primed powder-coated on the outside textured paint
Color	RAL 7035
Protection category IP to IEC 60 529	IP 66
Protection category NEMA:	NEMA 4
IK code	IK08
Supply includes	Mounting plate Cam lock with 3 mm double-bit insert Housing with hinged door 180° hinge
Base material	Carbon steel
Dimensions	Height: 200 mm (7.9 ") Width: 200 mm (7.9 ") Depth: 120 mm (4.7 ")
Material thickness	Housing: 1.25 mm (0.05 ") Door: 1.25 mm (0.05 ") Mounting plate: 2 mm (0.08 ")
Mounting plate	Height: 185 mm (7.3 ") Width: 175 mm (6.9 ")

Lock version	Cam
No. of locks	1
Lock Insert	3 mm double-bit
Packaging unit	1 pc(s).
Weight/packaging unit	2.8 kg (6.2 lb.)
EAN	4028177251700
Customs tariff number	94032080
ETIM 6.0	EC002713
ETIM 5.0	EC000261
eCl@ss 8.0/8.1	27180101
eCl@ss 7.0/7.1	27180101
eCl@ss 6.0/6.1	27180101
eCl@ss 5.1/5.1.4	27180102
Product description (long)	EB E-Box WHD: 200x200x120 Sheet steel with mounting plate with door