

Rittal – The System.

Faster – better – everywhere.

► Condensate discharge - 2459000

Date : Jul 06 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Condensate discharge - 2459000



Product Description	
Description	For reliable condensate discharge from the inside and protection against splashed water from the outside (labyrinth effect). Required hole diameter 16 mm. (In AE carbon steel the hole is already present in the base.)
Material	Polyamide
Color	Similar to RAL 7035
Notes	Splash-proof at the bottom if correctly installed (not IP 55 to EN 60529)
Packaging unit	6 pc(s).
Weight/packaging unit	0.04 kg (0.1 lb.)
EAN	4028177023741
Customs tariff number	39269097
ETIM 6.0	EC002009
ETIM 5.0	EC002009
eCl@ss 8.0/8.1	27180715
eCl@ss 7.0/7.1	27180715
eCl@ss 6.0/6.1	27180715
eCl@ss 5.1/5.1.4	27189226

Product description (long)

SZ Condensate discharge