

Rittal – The System.

Faster – better – everywhere.

► Enclosure Heaters without fan - 3105370

Date : Mar 26 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Enclosure Heaters without fan - 3105370



Product Description	
Continuous thermal output at 10°C	130W - 150W
Rated operating voltage	110V - 240V 1~ 50Hz/60Hz
Miniature circuit-breaker/fuse	4 A
Dimensions	Height: 180 mm (7.1 ") Width: 90 mm (3.5 ") Depth: 75 mm (3 ")
Weight/packaging unit	0.9 kg (2 lb.)
Supply includes	Fasteners PTC heater Quick-connection terminal
Note	For precise temperature control inside the enclosure we recommend using the enclosure internal thermostat or the digital enclosure internal temperature display and thermostat. In larger enclosures even heat distribution is best achieved by installing several low-output heaters. In order to prevent condensation on assemblies hygrostat is recommended to regulate heating. The installation of heaters is generally advisable in order to prevent condensation.
Note on Model No.	Special voltages available on request. We reserve the right to make technical modifications.
Packaging unit	1 pc(s).

EAN	4028177638679
Customs tariff number	85162999
Product description (long)	SK enclosure heater without fan 130-150 W 110-240 V 1~ 50/60 Hz WHD: 90 x 180 x 75 mm