

Rittal – The System.

Faster – better – everywhere.



SV 3529.000

PLS Special Busbars, E-Cu

State: 1/25/2022 (Source: rittal website)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

SV 3529.000 - PLS Special Busbars, E-Cu

Lengths range from 495 mm to 2400 mm.



Features

Material	E-Cu
Bar thickness	10 mm 0.39 "
Cross section	900 mm ²
Length	1,095 mm 43.1 "
Note	May be cut to length as required
Busbar type	Busbar E-Cu
Suitable for busbar system	RiLine60 (with PLS 1600)
Dimensions	Length: 1,095 mm Length: 43.1 "
Suitable for	Width: = 1,200 mm Width: = 47.2 "
Weight/packaging unit	26.58 kg 58.6 lb.

Features

Packaging unit	3 Stück
ETIM 7.0	EC001522
ECLASS 8.0	27370303

Approvals

Approvals	UL + C-UL
Explanations	Declaration of conformity