

Rittal – The System.

Faster – better – everywhere.

► Captive nut - 4164000

Date : Oct 09 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Captive nut - 4164000



Product Description

Description	The compression spring designed as an insertion aid ensures reliable mechanical and electrical connection in the hole profile.
Installation options	On enclosures and rails with rectangular hole profile 12.5 x 10.5 mm Mounting chassis 23 x 73 mm Mounting chassis 45 x 88 mm On the horizontal SE enclosure section bottom direct On the horizontal SE enclosure section top (in the depth only) direct Punched rails 23 x 23 mm System chassis 23 x 73 mm TS horizontal direct Vertical TS SE enclosure section via adapter rails for PS compatibility
Thread	M6
Packaging unit	50 pc(s).
Weight/packaging unit	0.45 kg (1 lb.)
EAN	4028177092983
Customs tariff number	73181692
ETIM 6.0	EC002358
ETIM 5.0	EC002358
eCl@ss 8.0/8.1	23110815

eCl@ss 7.0/7.1	27189234
eCl@ss 6.0/6.1	27189234
eCl@ss 5.1/5.1.4	27189234
Product description (long)	TS Captive nut for thread M6 for clamping and insertion from the side