

Rittal – The System.

Faster – better – everywhere.

TP Consoles – TP 6748.600

Date : Nov 12, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TP Consoles – TP 6748.600



Product description

Material:	Housing: Carbon steel, 1.5 mm Door and console lid: Carbon steel, 2.0 mm, all-round foamed-in PU seal Mounting plate: Carbon steel, 3.0 mm
Surface finish:	Housing, cover and door: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 12
Type rating according to UL 50E:	Type 12
IK code:	IK08
Supply includes:	Housing, solid back and sides Door or double door at front, with locking rod Mounting plate Cover hinged at rear, 2 stays with automatic locking. Unlatching automatically on the left, manually on the right Base Plates

Product description

Dimensions:	Height: 975 mm Width: 800 mm Depth (top): 500 mm Depth (bottom): 400 mm
--------------------	--

Mounting plate:	Height: 900 mm Width: 730 mm
Number of doors:	1
Packaging unit:	1 pc(s).
Weight/packaging unit:	63.7 kg (140.4 lb.)
EAN:	4028177959934
Customs tariff number:	94032080
ETIM 7.0:	EC000784
ETIM 6.0:	EC000784
eCl@ss 8.0/8.1:	27180504
eCl@ss 6.0/6.1:	27180504
Product description:	TP One-piece console, WHD1: 800x960x400/T2: 520 mm, Sheet steel
Approvals	
Approvals:	RRR UL + C-UL