

Rittal – The System.

Faster – better – everywhere.

Side wall, screwable, carbon steel for TS, TS IT – TS 8104.235

Date : Nov 12, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Side wall, screwable, carbon steel for TS, TS IT – TS 8104.235



Product description

Benefits:	Automatic potential equalization and higher EMC protection thanks to enclosure panel holders with grounding insert Easy positioning with the location aid Grounding bolt with contact surface
Material:	Carbon steel, 1.5 mm
Surface finish:	Dipcoat-primed, powder-coated on the outside
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 55
Supply includes:	Assembly components
Note:	Enclosure panel holders may optionally be fitted from the inside or outside of the enclosure. Area available for population: External dimension – 100 mm

Product description

Suitable for:	Enclosure type: TS Enclosure type: TS IT Height: 2000 mm (79 ") Depth: 400 mm (16 ")
Packaging unit:	2 pc(s).

Weight/packaging unit:	20 kg (44.1 lb.)
Copper weight (kg per piece):	0
EAN:	4028177205246
Customs tariff number:	94039010
ETIM 7.0:	EC002524
ETIM 6.0:	EC002524
eCl@ss 8.0/8.1:	27182101
eCl@ss 6.0/6.1:	27182101
Product description:	TS Side panel, screw-fastened, for TS, TS IT, for WD: 2000x400 mm, Sheet steel
Approvals	
Certificates:	NA