Rittal - The System.

Faster - better - everywhere.

Outdoor enclosure for AX compact enclosure – AX 9792.075

Date: Nov 16, 2021

RITTAL

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

POWER DISTRIBUTION

CLIMATE CONTROL

ENCLOSURES

IT INFRASTRUCTURE

Outdoor enclosure for AX compact enclosure – AX 9792.075



Prod	luct d	lescri	otion
			P (O

Description: Housing for AX compact enclosures, for use outdoors. For creating an enclosure-within-

an-enclosure concept. Cut-out at the bottom and integrated louvres in the side and base

for optimum enclosure ventilation.

Benefits: Housing for AX compact enclosures, for use outdoors

For creating an enclosure-within-an-enclosure concept

Cut-out at the bottom and integrated louvres in the side and base for optimum enclosure

ventilation

Material: Aluminum AlMg3

Surface finish: Powder-coated

Note: Depending on the application/environment, a carbon steel or stainless steel enclosure

may be built into the housing

Product description

Suitable for: Enclosure type: AX

Height: = 600 mm Width: = 600 mm Depth: = 350 mm

Dimensions: Height: 750 mm

Width: 721 mm Depth: 448 mm

Packaging unit: 1 pc(s).

Web: https://www.bolenscontrol.com/ - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Copper weight (kg per piece):	0	
EAN:	4028177961777	
Customs tariff number:	73089059	
ETIM 7.0:	EC000261	
ETIM 6.0:	EC000261	
e Cl@ss 8.0/8.1:	27180101	
eCl@ss 6.0/6.1:	27180101	
Product description:	Outdoor encapsulation for AX compact enclosures, WHD: 600 x 600 x 350 mm	