

# Rittal – The System.

Faster – better – everywhere.

## ► TS 8 Floormount Enclosure - 8018798

Date : Oct 08 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: [sales@bolenscontrol.com](mailto:sales@bolenscontrol.com)

# TS 8 Floormount Enclosure - 8018798



Product Description	
Description	Rittal's Floormount TS 8 combines the strength of unibody floormount enclosures with the flexibility of Rittal's revolutionary modular design. With its double door configuration and wide range of accessories Rittal's Floormount TS 8 is sure to meet your UL Type 12 needs.
Material	Mounting plate: Carbon steel 3.0mm Door: Carbon steel 2.0 mm Enclosure frame: Carbon steel 1.5 mm Rear wall: carbon steel 1.5 mm Roof: Carbon steel 1.5 mm
Surface finish	Mounting plate: Zinc-plated Enclosure frame: Dipcoat-primed Door roof walls base plate and leg kits: Dipcoat-primed powder-coated
Color	RAL 7035
Protection category IP to IEC 60 529	IP 55
Protection category NEMA:	NEMA 12 UL Type 12
Supply includes	Mounting plate 4 eyebolts Roof plate Base Plates Enclosure frame with door(s) 12 inch removable floor stands Rear panel detachable

	Sidewalls Comfort Handle with pushbutton key lock
Dimensions	Height: 1800 mm (71 ") Width: 1800 mm (71 ") Depth: 300 mm (12 ")
Packaging unit	1 pc(s).
Weight/packaging unit	248 kg (546.7 lb.)