

Rittal – The System.

Faster – better – everywhere.

► Wallmounted enclosure Stainless steel - 8017620

Date : Mar 26 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Wallmounted enclosure Stainless steel - 8017620



Product Description	
Material	Door: Stainless steel all-round foamed-in PU seal Housing and door: Stainless steel 1.4301 (AISI 304) Mounting plate: Carbon steel zinc-plated
Surface finish	Brushed
Protection category IP to IEC 60 529	IP 66
Protection category NEMA:	NEMA 4X
Supply includes	Mounting plate Housing with door(s) Left hand hinge Wall mounting blind-nuts
Dimensions	Height: 300 mm (12 ") Width: 300 mm (12 ") Depth: 150 mm (5.9 ")
Material thickness	Housing: 1.5 mm (0.06 ") Door: 1.5 mm (0.06 ") Mounting plate: 1.5 mm (0.06 ")
Mounting plate	Height: 275 mm (11 ") Width: 254 mm (10 ")
Lock version	Quarter turn
Packaging unit	1 pc(s).
Weight/packaging unit	7 kg (15.4 lb.)

EAN

83196