

Rittal – The System.

Faster – better – everywhere.

► Compact enclosures WM stainless steel - 8017628

Date : Oct 13 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Compact enclosures WM stainless steel - 8017628



Product Description	
Description	These single door wallmount enclosures can be used for virtually any application. The WM series ensures NEMA protection through a secure locking system foamed-in-place gasket and knife-edge sealing surface. Features include a stainless steel body and door and a zinc plated mounting panel.
Material	Door: Stainless steel all-round foamed-in PU seal Housing and door: Stainless steel 1.4404 (AISI 316L) Mounting plate: Carbon steel zinc plated
Surface finish	Brushed
Protection category IP to IEC 60 529	IP 66
Protection category NEMA:	NEMA 4X
Supply includes	Mounting plate Housing with door(s) Left hand hinge Wall mounting blind-nuts
Dimensions	Height: 500 mm (20 ") Width: 400 mm (16 ") Depth: 210 mm (8.3 ")
Material thickness	Housing: 1.5 mm Door: 1.5 mm

	Mounting plate: 1.5 mm
Mounting plate	Height: 475 mm Width: 354 mm
Lock version	Quarter turn
Packaging unit	1 pc(s).
Weight/packaging unit	15