

Rittal – The System.

Faster – better – everywhere.

► Wallmounted enclosure - 8017549

Date : Mar 27 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Wallmounted enclosure - 8017549



| Product Description | |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material | Door: Carbon steel all-round foamed-in PU seal Housing: Carbon steel |
| Surface finish | Mounting plate: Zinc-plated Housing and door: Dipcoat primed powder-coated on the outside textured paint |
| Color | RAL 7035 |
| Protection category IP to IEC 60 529 | IP 66 |
| Protection category NEMA: | NEMA 4 |
| Supply includes | Supply includes: Mounting plate Housing with door(s) Left hand hinge Rear wall mounting holes Supply includes: Quarter turn latch with slotted head insert |
| Dimensions | Height: 600 mm (24 ") Width: 760 mm (30 ") Depth: 210 mm (8.3 ") |
| Material thickness | Housing: 1.5 mm (0.06 ") Door: 2 mm (0.08 ") Mounting plate: 2.5 mm (0.1 ") |
| Mounting plate | Height: 570 mm (22 ") Width: 704 mm (28 ") |
| Packaging unit | 1 pc(s). |

| | |
|-----------------------|------------------|
| Weight/packaging unit | 32 kg (70.5 lb.) |
|-----------------------|------------------|

| | |
|-----|-------|
| EAN | 83130 |
|-----|-------|