

Rittal – The System.

Faster – better – everywhere.

► Wallmounted enclosure Stainless steel - 8017619

Date : Mar 30 , 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Wallmounted enclosure Stainless steel - 8017619



Product Description	
Material	Door: Stainless steel all-round foamed-in PU seal Housing and door: Stainless steel 1.4301 (AISI 304) Mounting plate: Carbon steel zinc-plated
Surface finish	Brushed
Protection category IP to IEC 60 529	IP 66
Protection category NEMA:	NEMA 4X
Supply includes	Mounting plate Housing with door(s) Left hand hinge Wall mounting blind-nuts
Dimensions	Height: 900 mm (35 ") Width: 760 mm (30 ") Depth: 250 mm (9.8 ")
Material thickness	Housing: 2 mm (0.08 ") Door: 2 mm (0.08 ") Mounting plate: 2.5 mm (0.1 ")
Mounting plate	Height: 870 mm (34 ") Width: 704 mm (28 ")
Lock version	Quarter turn
Packaging unit	1 pc(s).
Weight/packaging unit	53 kg (116.8 lb.)

EAN

83195