

Rittal – The System.

Faster – better – everywhere.

► Wallmounted enclosure - 8017582

Date : Oct 16 , 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Web: <https://www.bolenscontrol.com/> - Phone: (800) 658-5241 - Email: sales@bolenscontrol.com

Wallmounted enclosure - 8017582



Product Description	
Material	Door: Carbon steel all-round foamed-in PU seal Housing: Carbon steel
Surface finish	Mounting plate: Zinc-plated Dipcoat-primed and powder-coated textured paint
Color	RAL 7035
Protection category IP to IEC 60 529	IP 55
Protection category NEMA:	NEMA 12
Supply includes	Mounting plate Housing with door(s) Rear wall mounting holes
Dimensions	Height: 900 mm (35 ") Width: 1050 mm (41 ") Depth: 300 mm (12 ")
Material thickness	Housing: 2 mm (0.08 ") Door: 2 mm (0.08 ") Mounting plate: 2.5 mm (0.1 ")
Mounting plate	Height: 850 mm (33 ") Width: 1000 mm (39 ")
Number of doors	2
3-point locking system	yes

Packaging unit	1 pc(s).
Weight/packaging unit	76 kg (167.6 lb.)
EAN	83159