SIEMENS

Data sheet 3RV2926-0B



Door-coupling rotary operating mechanism IP64 for circuit breaker Size S00...S3 130 mm shaft black

| General technical data | | |
|---|---|--|
| product brand name | | SIRIUS |
| product designation | | door-coupling rotary operating mechanism |
| size of the circuit-breaker | | S00, S0, S2, S3 |
| design of the product | | standard |
| control version of the switch operating mechanism | | short shaft |
| suitability for use | | Circuit breaker S00, S0, S2, S3 |
| ambient temperature | | |
| during storage | °C | -50 + 80 |
| during operation | _ °C | -20 +7 0 |
| operating frequency maximum | 1/h | 15 |
| color of the actuating element | | black |
| nstallation/ mounting/ dimensions | <u>, </u> | |
| mounting position | | any |
| fastening method | | screw fixing |
| width | mm | 66 |
| height | mm | 66 |
| depth | mm | 50 |
| length | mm | 130 |
| diameter | mm | 22.5 |
| required spacing for grounded parts | | |
| forwards | mm | 0 |
| backwards | mm | 0 |
| upwards | mm | 0 |
| at the side | mm | 0 |
| downwards | mm | 0 |
| Certificates/ approvals | | |
| certificate of suitability | | CE / UL / CSA |
| General Product Approval | | Declaration of Conformity |





EHC




Test Certificates Marine / Shipping other







Further information



last modified: 12/23/2020 🖸