SIEMENS

Data sheet

6GK5005-0BA10-1AA3



SCALANCE X005, IE Entry Level Switch unmanaged 5x 10/100 Mbit/s RJ45 ports, LED diagnostics, IP30, 24 V DC power supply, PROFINETcompliant securing collars, Extended temperature range -40 °C...+75 °C, Manual available as a download

product type designation	SCALANCE X005
transfer rate	
transfer rate	10 Mbit/s, 100 Mbit/s
interfaces / for communication / integrated	
number of electrical connections	
 for network components or terminal equipment 	5; RJ45 with securing collar
number of 100 Mbit/s SC ports	
for multimode	0
interfaces / other	
number of electrical connections	
 for power supply 	1
type of electrical connection	
 for power supply 	2-pole terminal block
supply voltage, current consumption, power loss	
type of voltage / 1 / of the supply voltage	DC
 supply voltage / 1 / rated value 	24 V
 power loss [W] / 1 / rated value 	2 W
 supply voltage / 1 / rated value 	18 32 V
 consumed current / 1 / maximum 	0.08 A
 type of electrical connection / 1 / for power supply 	2-pole terminal block
 product component / 1 / fusing at power supply input 	Yes
ambient conditions	
ambient temperature	
 during operation 	-40 +75 °C
 during storage 	-40 +80 °C
during transport	-40 +80 °C
relative humidity	
 at 25 °C / without condensation / during operation / maximum 	95 %
protection class IP	IP30
design, dimensions and weights	
design	compact
width	40 mm
height	125 mm
depth	124 mm
net weight	0.55 kg
fastening method	

 35 mm top hat DIN rail mounting 	Yes
wall mounting	Yes
S7-300 rail mounting	Yes
S7-1500 rail mounting	No
product functions / management, configuration, engineering	
product function	
multiport mirroring	No
• CoS	Yes
product function / switch-managed	No
product functions / redundancy	
product function	
 Parallel Redundancy Protocol (PRP)/operation in the PRP-network 	Yes
 Parallel Redundancy Protocol (PRP)/Redundant Network Access (RNA) 	No
standards, specifications, approvals	
standard	
 for safety / from CSA and UL 	UL 60950-1, CSA C22.2 No. 60950-1
 for emitted interference 	EN 61000-6-4 (Class A)
 for interference immunity 	EN 61000-6-2
MTBF	167.1 у
standards, specifications, approvals / CE	
certificate of suitability / CE marking	Yes
standards, specifications, approvals / hazardous environments	
certificate of suitability	
 CCC / for hazardous zone according to GB standard 	Yes
standards, specifications, approvals / other	
certificate of suitability	EN 61000-6-2, EN 61000-6-4
C-Tick	Yes
KC approval	Yes
 E1 approval 	No
 E1 approval 	No
 railway application in accordance with EN 50155 	No
standards, specifications, approvals / marine classification	
Marine classification association	
 American Bureau of Shipping Europe Ltd. (ABS) 	Yes
 French marine classification society (BV) 	Yes
• DNV GL	Yes
 Korean Register of Shipping (KRS) 	Yes
 Lloyds Register of Shipping (LRS) 	Yes
 Polski Rejestr Statkow (PRS) 	Yes
Royal Institution of Naval Architects (RINA)	Yes
further information / internet-Links	

security information

security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Third-party products that may be in use should also be considered. For more information about industrial security, visit siemens website. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit siemens website. (V3.4)

last modified:

6/30/2021 🖸