



Subject to changes. Please also observe the further product documentation!



Data Electrical data

Ratings per IEC/EN 60664-1

Rated current 57 A

Material Data

Color	light gray
Fire load	0.016 MJ
Weight	3.3 g

Commercial data

Product Group	22 (TOPJOB S)
Packaging type	bag
Country of origin	DE
GTIN	4044918317603
Customs tariff number	85366990990

Downloads CAD/CAE-Data

CAD data

2D/3D Models 2016-499

CAE data

WSCAD Universe 2016-499


ZUKEN Portal 2016-499

Installation Notes

Commoning

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$






Step-down jumpers may common terminal blocks of different sizes, without losing a conductor clamping point. This can be beneficial on long conductor runs where voltage drops may be problematic. A large conductor can be easily connected to smaller conductors at the distribution point.

Commoning may be made in either direction using the special thin end plate to cover the open side. Additional through terminal blocks having a smaller cross-section may be commoned using push-in type jumper bars.

Commoning




Using step-down jumpers, an end plate must be inserted between the terminal blocks to be commoned.

Commoning

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$





Commoning with a step-down jumper.

Commoning



Step-down jumper (2016-499) commons 16 /10 mm² (16/8 AWG) terminal blocks (2016 /2010 Series) with 10/6/4/2.5 mm² (8/10/12 /14 AWG) terminal blocks (2010/2006/2004 /2002 Series).

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$