


Data sheet | Item number: 215-111
Banana plug; for socket 4 mm Ø; color mixed; 10 x each - orange, white, black, blue, yellow; 2,50 mm²



Data
Technical data

Main product function	Testing accessories
Total number of potentials	1

Electrical data

Rated current	20 A
Test voltage	42 V

Connection data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	1
Solid conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG

Physical data

Width	8 mm / 0.315 inch
-------	-------------------

Subject to changes. Please also observe the further product documentation!



Height	15 mm / 0.591 inch
Depth	40 mm / 1.575 inch

Material data

Weight	3.9 g
--------	-------

Commercial data

PU (SPU)	50 Stück
Packaging type	box
Country of origin	DE
GTIN	4045454293703
Customs tariff number	8536698000

Downloads

Documentation

Bid Text

215-111 X81 - Datei	Feb 19, 2019	xml 3.2 kB
215-111 doc - Datei	Sep 19, 2017	doc 25.1 kB

CAD files

CAE data

EPLAN Data Portal 215-111

WSCAD Universe 215-111

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 215-111

Banana plug; for socket 4 mm Ø; color mixed; 10 x each - orange, white, black, blue, yellow; 2,50 mm²

Subject to changes. Please also observe the further product documentation!

Installation Notes

Conductor termination



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

Testing



Testing via banana plug.

Picture shows a test plug adapter (209-170).

Subject to changes. Please also observe the further product documentation!