

Data sheet | Item number: 215-311

Banana plug; for socket 4 mm Ø; 2,50 mm²; black



Subject to changes. Please also observe the further product documentation!

**Data****Technical Data**

Main product function	Testing accessories
Total number of potentials	1

Electrical data

Rated current	20 A
Test voltage	42 V

Connection data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	1
Solid conductor	0.08 ... 2.5 mm ² / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm ² / 28 ... 14 AWG

Subject to changes. Please also observe the further product documentation!



Geometrical Data

Width	8 mm / 0.315 inch
Height	15 mm / 0.591 inch
Depth	40 mm / 1.575 inch

Material Data

Color	black
Weight	3.9 g

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4045454293499
Customs tariff number	85366990990

Counterpart

Downloads

CAD files

CAE data

EPLAN Data Portal 215-311

WSCAD Universe 215-311

Installation Notes

Subject to changes. Please also observe the further product documentation!



Conductor termination: Press button fully, insert stripped conductor into square entry and release.



Strip conductor 9 ... 11 mm (0.35 ... 0.43 inch).

Testing



Testing with a banana plug

(picture shows 209-170 Test Plug Adapter).

Subject to changes. Please also observe the further product documentation!