


Data sheet | Item number: 216-206

Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; blue



Subject to changes. Please also observe the further product documentation!



Subject to changes. Please also observe the further product documentation!

RoHS 
Compliant

BOMcheck.net

Color: 

Data

Technical Data

Main product function	Ferrule
Sleeve cross-section (AWG)	14 AWG
Sleeve for	2.5 mm ²

Connection data

Strip length	10 mm / 0.39 inch
--------------	-------------------

Geometrical Data

Length	15 mm
Length	15 mm
Length 1	8 mm
Diameter	4.7 mm
Diameter	4.7 mm
Diameter 1	4.2 mm
Diameter 2	2.2 mm

Material Data

Color	blue
Fire load	0.002 MJ
Weight	0.2 g

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4017332277518
Customs tariff number	85369010000

Subject to changes. Please also observe the further product documentation!


Counterpart

Installation Notes



A perfect gas-tight crimp – both electrically and mechanically reliable

Conductor termination



Using a 12 AWG conductor with ferrule.

Item No. 216-206

Subject to changes. Please also observe the further product documentation!