




Data

Technical Data

Main product function	Operating tool
Number of pitches	1 -way

Geometrical Data

Pin spacing	5/7.62 mm
-------------	-----------

Material Data

Fire load	0.01 MJ
Weight	0.3 g

Commercial data

Product Group	3 (Multi Conn. System)
---------------	------------------------

Subject to changes. Please also observe the further product documentation!

Packaging type	BOX
Country of origin	DE
GTIN	4017332283168
Customs tariff number	82055980000

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CSA DEKRA Certification B.V.	C22.2	1466354

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

Compatible products

Marking accessories



Item no.: 210-833
Marking strips; on reel; 6 mm wide; plain; Self-adhesive; white



Item no.: 210-834
Marking strips; on reel; 5 mm wide; plain; Self-adhesive; white

Downloads

CAD/CAE-Data

CAD data

2D/3D Models 231-131

CAE data

ZUKEN Portal 231-131

Subject to changes. Please also observe the further product documentation!

Installation Notes



Inserting a conductor into CAGE CLAMP® unit via operating lever (231-291).

Subject to changes. Please also observe the further product documentation!
