


Data sheet | Item number: 282-402

Adjacent jumper; insulated; Nominal current 41 A



Subject to changes. Please also observe the further product documentation!



Subject to changes. Please also observe the further product documentation!

RoHS 
Compliant

BOMcheck.net

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated current	41 A
---------------	------

Approvals Ex

Rated current (Ex e II)	35 A
-------------------------	------

Geometrical Data

Width	8 mm / 0.315 inch
-------	-------------------

Depth	8 mm / 0.315 inch
-------	-------------------

Material Data

Fire load	0.015 MJ
-----------	----------

Weight	2.9 g
--------	-------

Commercial data

Packaging type	BOX
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4050821343806
------	---------------

Customs tariff number	85366990990
-----------------------	-------------

Counterpart

Downloads

Documentation

Additional Information

Technical explanations

Apr 3, 2019

Subject to changes. Please also observe the further product documentation!

CAD/CAE-Data

CAD data

2D/3D Models 282-402

CAE data

WSCAD Universe 282-402

Installation Notes

Commoning



Commoning using an adjacent jumper (280-402).

Push jumper down until fully inserted.

Subject to changes. Please also observe the further product documentation!