

Data sheet | Item number: 790-114

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps



RoHS
Compliant

BOMcheck.net

Item No.	Dimensions in mm					
	A	B	C	D	E	F
790-108	51	15	8	16	55	42
790-116	53	15	16	16	57	45
790-124	78	15	24	16	83	58
790-140	97	15	40	16	100	73

Data

Technical Data

Main product function

Shield termination

Material Data

Weight

25.5 g

Commercial data

Product Group

2 (Terminal Block Accessories)

Packaging type

BOX

Country of origin

DE

GTIN

4045454352912

Customs tariff number

85369095990

Subject to changes. Please also observe the further product documentation!

Counterpart

Compatible products

shield connection

	Item no.: 790-108 Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm
	Item no.: 790-116 Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm
	Item no.: 790-124 Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm
	Item no.: 790-140 Shield clamping saddle; diameter of compatible conductor
	Item no.: 791-107 Shield clamp; diameter of compatible conductor; 1.5 mm to 6.5 mm; H max. 40 mm; 10 mm wide
	Item no.: 791-111 Shield clamp; diameter of compatible conductor; 5 mm to 11 mm; H max. 47 mm; 17 mm wide
	Item no.: 791-117 Shield clamp; diameter of compatible conductor; 10 mm to 17 mm; H max. 63 mm; 23 mm wide
	Item no.: 791-124 Shield clamp; diameter of compatible conductor; 16 mm to 24 mm; H max. 78 mm; 30 mm wide

Downloads

CAD/CAE-Data

CAD data


2D/3D Models 790-114

CAE data

WSCAD Universe 790-114

Installation Notes

Subject to changes. Please also observe the further product documentation!



Carrier with grounding foot* (790-114),
45 mm long, busbar parallel to the rail

* for all sizes of shield clamping saddles

Subject to changes. Please also observe the further product documentation!